SKIN INFECTIONS

DERMATOLOGY

SLIDES & DESCRIPTION

How to Pass Clinic & Oral Exam

BY:

DR. MOHCEN AL.HAJ



Common Cases for Clinic Exam

Impetigo
Common Wart
Tinea Capitis
Pityriasis Versicolor
Leishmaniasis

Bacterial Skin Infection

Non-Bullous Impetigo
Ecthyma
Furuncle (boil)
Carbuncle
Cellulitis
Erysipelas
Erythrasma

Common Cases for Clinic Exam

Impetigo

Non-Bullous Impetigo

D\D of Impetigo:
1- Viral Infection (HSV,HZV).
2- Eczema.
3- Fungal Infection.
4- Bullous Drug Eruption.
5- Burns.



Dark, Thick, Honey, Yellow, Crust adherent around Mouth and Nostril.

Treatment of Impetigo
1. Remove Crust By Potassium Permanganate.
2. Topical AB (Fusidine Cream).
3. In Sever Cases Give Systemic AB.

D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.



Dark, Thick, Honey, Yellow, Crust adherent around Mouth and Nostril.

D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.



Dark, Thick, Honey, Yellow, Crust adherent around Mouth and Chin.

Dark, Thick, Honey, Yellow, Crust adherent On the Chin.



D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.

D\D:
1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.


HealthPictures.net

Dark, Thick, Honey, Yellow, Crust adherent around Mouth.



Dark, Thick, Honey, Yellow, Crust adherent around Mouth.

D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.

D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.



Dark, Thick, Honey, Yellow, Crust Adherent On the Lips & around Mouth.

Dark, Thick, Honey, Yellow, Crust Adherent On the Cheek & Ear.



D\D:

1- Impetigo.
2- Viral Infection (HSV,HZV).
3- Eczema.
4- Fungal Infection.
5- Bullous Drug Eruption.
6- Burns.

Non-Bullous Impetigo



Ecthyma



Well-Defined, Single, Punched-Out Ulcer, on Erythematous Base,
Covered with Adherent, Dark Yellow Crust.

D\D of Ecthyma:

1- Cutaneous Leishmaniasis.
2. Basal Cell Carcinoma.
3- Venous Ulcer.
4- Chancre (Primary Syphilis).

Treatment of Ecthyma

1. Remove Crust By Potassium Permanganate.
2. Topical AB (Fusidine Cream).
3. In Sever Cases Give Systemic AB.


A
B









©Dermnet.com

Superficial Folliculitis



Furuncle (Boil)

D\D of Furuncle:

1- Carbuncle.
2- Leishmaniasis.
3- Lupus Vulgaris.
4- Scrofula.
5- Chancre.



Single, Well-Defined, Red, Nodule on Erythematous Base, has Crusted Yellow Head, filled with Pus, Present at the Base of the Neck.

Treatment of Furuncle

1. Drainage of Abscess if Large.
2. Topical AB (Fusidine Cream).
3. Systemic AB.



Single, Well-Defined, Red, Nodule on Erythematous Base, has Crusted Yellow Head, filled with Pus, Present On Forearam.

D\D:

1- Furuncle.
2- Carbuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Chancre.

D\D:

1- Furuncle.
2- Carbuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Chancre.



Single, Well-Defined, Red, Nodule on Erythematous Base, has Crusted Yellow Head, filled with Pus.



Single, Well-Defined, Red, Nodule on Erythematous Base,
With **No** Crust or Any Secondary Lesion.

D\D:

1- Furuncle.
2- Carbuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Scrofula.
6- Chancre.



Single, Well-Defined, Red, Nodule on Erythematous Base,
Covered with Dark Yellow, Hemorrhagic, Crust, present on the Chin.

D\D:
1- Furuncle.
2- Carbuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Scrofula.
5- Chancre.

Carbuncle



Single, Large, Red, Nodule, on Erythematous Base, Discharging Pus from **Multiple** Opening.

Treatment of Carbuncle

1. Drainage of Abscess.
2. Topical AB (Fusidine Cream).
3. Systemic AB.

D\D:

1- Carbancle.
2- Furuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Scrofula.



Single, Large, Well-Defined, Red, Nodule, on Erythematous Base, has **Multiple**, Crusted Yellow Heads, filled with Pus, Present on the Neck.

Single, Large, Well-Defined, Red, Nodule, on Erythematous Base, Discharging Pus from **Multiple** Opening, Present on the Upper Back.



D\D:

1- Carbancle.
2- Furuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Scrofula.



Single, Large, Well-Defined, Red, Nodule, on Erythematous Base, Discharging Pus from Multiple Opening, Present on the Upper Back.



Single, Large, Well-Defined, Red, Nodule, on Erythematous Base, has Multiple, Crusted Yellow Heads, filled with Pus.

D\D:

1- Carbancle.
2- Furuncle.
3- Leishmaniasis.
4- Lupus Vulgaris.
5- Scrofula

Cellulitis

Large, Irregular, Redness (Swelling or Patch), with **Ill-Defined** Border, Present on the Leg.


©Dermnet.com

D\D of Cellulitis:

1- Erysipelas.
2- Stasis Eczema.
3- DVT.
4- Insect Bite.
5- Rupture of Baker Cyst.

Treatment of Cellulitis

1. Complete Bed Rest & Elevation of Legs.
2. Topical & Systemic AB.
3. Sometimes Surgical Debridment.



Large, Irregular, Redness (Swelling or Patch), with **Ill-Defined** Border, Present on the Foot.

D\D:

1- Cellulitis.
2- Erysipelas.
3- Stasis Eczema.
4- DVT.
5- Insect Bite.
6- Rupture of Baker Cyst.

Large, Irregular, Redness (Swelling or Patch), with **Ill-Defined** Border, Present on the Arm.

D\D:

1- Cellulitis.
2- Erysipelas.
3- Insect Bite.
4- Eczema.



©Dermnet.com



D\D:

1- Cellulitis.
2- Erysipelas.
3- Stasis Eczema.
4- DVT.
5- Insect Bite.
6- Rupture of Baker Cyst.

Large, Irregular, Redness (Swelling or Patch), with **Ill-Defined** Border, Present on the Right Leg.



Large, Irregular, Redness (Swelling or Patch), with **Ill-Defined** Border, Present on the Left Leg.

D\D:

1- Cellulitis.
2- Erysipelas.
3- Stasis Eczema.
4- DVT.
5- Insect Bite.
6- Rupture of Baker Cyst.

Erysipelas

Large, Redness (Swelling or Patch), With **Well-Defined** Border, Present on Cheek.


©Dermnet.com

D\D of Epysipelas:
1- Cellulitis.
2- Insect Bite.
3- Dermatitis

Treatment of Erysipelas
1. Complete Bed Rest.
2. Topical & Systemic AB.

D\D:

1- Epysipelas.
2- Cellulitis.
3- Insect Bite.
4- Dermatitis.



Large, Redness (Swelling or Patch), With **Well-Defined** Border, Present on Cheek.



Large, Redness (Swelling or Patch), With **Well-Defined** Border, Present on Cheek.

D\D:

1- Epysipelas.
2- Cellulitis.
3- Insect Bite.
4- Dermatitis.



Large, Redness (Swelling or Patch), With **Well-Defined** Border,
Present on Cheek.

D\D:

1- Epysipelas.
2- Cellulitis.
3- Insect Bite.
4- Dermatitis.






©Dermnet.com


ADAM.




SFS
ByeByeDoctor.com

Etythrasma

D\D of Erythrasma:

1- Fungal Infection (Candidiasis).
2- Psoriasis Inversus.
3- Eczema.



Single, Brown, Scaly, Patch, with Irregular, Well-Demarcated Border, Present on Axilla.

Treatment of Erythrasma

1. Anti-Biotic → (Erythromycin).
2. Anti-Fungal (Imidazole).
3. Benzyl Peroxide.


Dermatology Oasis

Single, Brown, Scaly, Patch, with Irregular, Well-Demarcated Border, Present on Axilla.

D\D:

1- Erythrasma.
2- Fungal Infection (Candidiasis).
3- Psoriasis Inversus.
4- Eczema.

D\D:

1- Erythrasma.
2- Fungal Infection (Candidiasis).
3- Psoriasis Inversus.
4- Eczema.



Single, Brown, Scaly, Patch, with Irregular, Well-Demarcated Border, Present on Axilla.



gettyimages
Science Photo Library
123770427

Single, Red, Scaly, Patch, with Irregular, Well-Demarcated Border, Present on Axilla.

D\D:

1- Erythrasma.
2- Fungal Infection (Candidiasis).
3- Psoriasis Inversus.
4- Eczema







Erythrasma



Woods Lamp of Erythrasma



Coral Red in Color

Viral Skin Infection

Herpes Simplex Type1
Herpes Zoster
Hutchinson's Sign
Post Herpetic Scar
Common Wart
Plane Wart
Planter Wart
Filiform Wart
Molluscum Contagiosum

Common Cases for Clinic Exam

Herpes Zoster

Common Wart

Herpes Simplex Type1

D\D of Herpes Simplex:
1- Bacterial Infection (Impetigo).
2- Eczema.
3- Fungal Infection.
4- Oral Pemphigus.
5- Bullous Drug Eruption.
6- Burns.
7- Chemical Trauma



Multiple, Different Size & Shape, Clusters of Small Vesicles, on Erythematous Base, Present at Angle of the Mouth & Lips.

Treatment of Herpes Simplex
1. Topical Acyclovir Cream 5 Times\Day\5 Days.
2. Topical AB Ointment to Prevent 2ry Bacterial Infection.



Multiple, Different Size & Shape, Clusters of Small Vesicles, Covered with Yellow Crust, on Erythematous Base Present around the Mouth & Lips.

D\D:

1- Herpes Simplex Type1.
2- Bacterial Infection (Impetigo).
3- Eczema.
4- Fungal Infection.
5- Oral Pemphigus
6- Chemical Trauma.
7- Drug Eruption.
8- Burns.



Multiple, Different Size & Shape, Clusters of Small Vesicles, Covered with Yellow Crust, on Erythematous Base Present around the Nostril & Mouth.

D\D:

1- Herpes Simplex Type1.
2- Bacterial Infection (Impetigo).
3- Eczema.
4- Fungal Infection.
5- Oral Pemphigus
6- Chemical Trauma.
7- Drug Eruption.
8- Burns.



Multiple, Different Size & Shape, Clusters of Small Vesicles, Covered with Yellow Crust, on Erythematous Base Present around the Nostril & Mouth.

D\D:

1- Herpes Simplex Type1.
2- Bacterial Infection (Impetigo).
3- Eczema.
4- Fungal Infection.
5- Oral Pemphigus
6- Chemical Trauma.
7- Drug Eruption.
8- Burns.



Multiple, Different Size & Shape, Clusters of Small Vesicles, Covered with Yellow Crust, on Erythematous Base Present around the Mouth & Lips.

D\D:

1- Herpes Simplex Type1.
2- Bacterial Infection (Impetigo).
3- Eczema.
4- Fungal Infection.
5- Oral Pemphigus
6- Chemical Trauma.
7- Drug Eruption.
8- Burns.

D\D:

1- Herpes Simplex Type1.
2- Bacterial Infection (Impetigo).
3- Eczema.
4- Fungal Infection.
5- Oral Pemphigus
6- Chemical Trauma.
7- Drug Eruption.
8- Burns.
9- Erythema Multiform Major.



Multiple, Different Size & Shape, Clusters of Small Vesicles, on Erythematous Base Present Inside Lips, Gingiva & Tongue.



Herpes Simplex
Type 1



Herpes Simplex
Type 1

Herpes Simplex
Type 1



Herpes Simplex
Type 1



Herpes Simplex
Type 1









Herpes Simplex Type 1







Herpetic Witlow



Inoculation of Virus
On to Tip of Fingers

© 2009 Logical Images, Inc.

Eczema Herpaticum


Globalskinatlas.com
©R Suhonen
'96 10

Herpes Zoster

Multiple, Different Size & Shape, Group of Small Vesicles, on Erythematous Base, Following Specific Pattern Of Distribution (Dermatomal Distribution).



D\D of Herpes Zoster:

1- Herpes Simplex.
2- Bacterial Infection (Impetigo).
3- Dermatitis Herpetiformis.
4- Eczema.
5- Fungal Infection.
6- Bullous Drug Eruption.
7- Chemical Trauma.
8- Burns.

Treatment of Herpes Zoster

1. Systemic Acyclovir 800mg Orally 5 Times\Day\Week.
2. Topical AB.
3. Analgesia.
4. Vitamin B6, B12.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



Multiple, Different Size & Shape, Group of Small Vesicles, On Erythematous Base, Following Dermatomal Distribution On Chest.

Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On Abdomen.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On Chest.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On Chest.

Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On Neck & Upper Chest.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On the Back.

Herpes Zoster





Multiple, Different Size & Shape, Group of Small Vesicles, On Erythematous Base, Following Dermatomal Distribution On the Back.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.

D\D:

1- Herpes Zoster.
2- Herpes Simplex.
3- Bacterial Infection (Impetigo).
4- Dermatitis Herpetiformis.
5- Eczema.
6- Fungal Infection.
7- Bullous Drug Eruption.
8- Chemical Trauma.
9- Burns.



Multiple, Different Size & Shape, Group of Small Vesicles,
On Erythematous Base, Following Dermatomal Distribution On the Abdomen.




©Dermnet.com

FIGURE 2. Case of herpes zoster ophthalmicus



Photo/MN Oxman, University of California, San Diego

Hutchinson's Sign



Multiple, Different Size & Shape, Clusters of Vesicles, on Erythematous Base,
Following **Ophthalmic Branch** of Trigeminal Nerve & Its Branches.

Hutchinson's Sign



Hutchinson's Sign



Ramsy Hunt Syndrome


SCIENCEphotoLIBRARY

Ramsy Hunt Syndrome



Ramsy Hunt Syndrome



alamy

Post Herpetic Scar



Post Herpetic Scar



Common Wart (Varruca Vulgaris)

Multiple, Unilateral, Different Size & Shape, Skin Colored, Papules, with Rough Surface & Hyperkeratosis, Scattered on Dorsum of the Hand.



D\D of Common Wart:

1- Plane Wart.
2- Filiform Wart.
3- Molloscum Contagiosum.

Treatment of Common Wart

1. Cryotherapy (with Liquid Nitrogen).
2. Electrodessecation & Curettage.

Multiple, Unilateral, Different Size & Shape, Skin Colored, Papules, with Rough Surface & Hyperkeratosis, Scattered on Dorsum of the Hand.

D\D:

1- Common Wart:
2- Plane Wart.
3- Filiform Wart.
4- Molloscum Contagiosum.





Multiple, Unilateral, Different Size & Shape, Skin Colored, Papules, with Rough Surface & Hyperkeratosis, Scattered on Dorsum of the Hand.

D\D:

1- Common Wart:

2- Plane Wart.

3- Filiform Wart.

4- Molloscum Contagiosum.

Common Wart



Common Wart


visualphotos.com

Plane Wart (Flat Wart)

Multiple, with Rough Surface, Flesh Colored, Slightly Elevated Papules, Slightly Hyperkeratosis, Scattered on the Cheek.



D\D of Plane Wart:

1- Molluscum Contagiosum.
2- Common Wart.
3- Filiform Wart.

Treatment of Common Wart

1. Electrodessecation & Curettage.



Multiple, with Rough Surface, Flesh Colored, Slightly Elevated Papules, Slightly Hyperkeratosis, Scattered on the Cheek.

D\D:

1- Plane Wart.
2- Common Wart.
3- Filiform Wart.
4- Molluscum Contagiosum.



Multiple, with Rough Surface, Flesh Colored, Slightly Elevated Papules, Slightly Hyperkeratosis, Scattered on the Cheek.

D\D:

1- Plane Wart.
2- Common Wart.
3- Filiform Wart.
4- Molluscum Contagiosum.

Multiple, with Rough Surface, Flesh Colored, Slightly Elevated Papules, Slightly Hyperkeratosis, Scattered on Forehead.



D\D:

1- Plane Wart.
2- Common Wart.
3- Filiform Wart.
4- Molluscum Contagiosum.

Planter Wart

D\D of Planter Wart:
1- Mosaic Wart.
2- Callosity.
3- Foreign Body.



Single, Hyperkeratotic, Papule, with Black Dot, Present on Plantar Surface of the Foot.

Treatment of Planter Wart
1. Salicylic Acid.

D\D

1- Planter Wart.
2- Mosaic Wart.
3- Callosity.
4- Foreign Body.



Single, Hyperkeratotic, Papule, with Multiple Black Dots, Present on Plantar Surface of the Foot.

D\D

1- Planter Wart.
2- Mosaic Wart.
3- Callosity.
4- Foreign Body.



Multiple, Different Size & Shape, Hyperkeratotic, Papules, with Black Dots, Present on Plantar Surface of the Foot.



Single, Hyperkeratotic, Papule, with Black Dot, Present on Plantar Surface of the Foot.

D\D

1- Planter Wart.
2- Mosaic Wart.
3- Callosity.
4- Foreign Body.

Filiform Wart

D\D
1- FiliformWart.
2- Common Wart.
3- Plane Wart.



Single, Long, Slender Growth Present on Upper Eyelid.

Treatment of Filiform Wart
1. Electrodessecation & Curettage.

Filiform Wart



© WarzenEntfernen.com

Filiform Wart





ELSEVIER



Filiform wart:
Found on face,

Mosaic Wart












Plantar Warts
Mosaic wart
Plantar wart







Callosity


COPYRIGHT PCDS.ORG.UK

Callosity



Molluscum Contagiosum

D\D of Molluscum Contagiosum:
1- Wart.
2- Navies.
3- Basal Cell Carcinoma.



Multiple, Different Size, Pink, Centrally Umblicated, Dome Shaped Papules.

Treatment of Molluscum Contagiosum
1. Locally Removed by Curettage.
2. Cryotherapy (with Liquid Nitrogen).

Multiple, Different Size, Pink, Centrally **Umblicated**, Dome Shaped Papules.

D\D

1- Molluscum Contagiosum.
2- Wart.
3- Navies.
4- Basal Cell Carcinoma.



©R Suhonen

D\D

1- Molluscum Contagiosum.

2- Wart.

3- Navies.

4- Basal Cell Carcinoma.



Multiple, Different Size, Pink, Centrally **Umblicated**, Dome Shaped Papules.

Multiple, Different Size & Shape, Pink, Centrally **Umblicated**, Dome Shaped Papules.


SCIENCEphotoLIBRARY

D\D

1- Molluscum Contagiosum.
2- Wart.
3- Navies.
4- Basal Cell Carcinoma.

Fungal Skin Infection

Non Inflammatory Tinea Capitis
Kerion
Favus
Woods Lamp & KOH
Tinea Pedis
Pityriasis Versicolor
Woods Lamp & KOH
Oral Trush
Paronychia
Intertrigo

Common Cases for Clinic Exam

Tinea Capitis

Pityriasis Versicolor

Non-Inflammatory Tinea Capitis

Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, with Black Dots, **Not** Scaly, **Not** Inflammatory, Present on the Scalp.



D\D of Non-Inflammatory Tinea Capitis:

1- Alopecia Areata.
2- Androgenic Alopecia
3- Tractional Alopecia.
4- Trichotiloomania.
5- Hair-Pulling Habit.

Treatment of Non-Inflammatory Tinea Capitis

- Systemic Anti-Fungal
(Grisofulvin 20mg\kg\day for 6Weeks Orally).
OR Systemic Terbinafine

D\D:
1- Non-Inflammatory Tinea Capitis.
2- Alopecia Areata.
3- Androgenic Alopecia
4- Tractional Alopecia.
5- Trichotiloomania.
6- Hair-Pulling Habit.



Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, with Black Dots, **Not** Scaly, **Not** Inflammatory, Present on the Scalp.



www.alriyadh.com

Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, **Not** Scaly, **Slightly Red**, Present on the Scalp.

D\D:

1- Non-Inflammatory Tinea Capitis.
2- Alopecia Areata.
3- Androgenic Alopecia
4- Tractional Alopecia.
5- Trichotiloomania.
6- Hair-Pulling Habit.



Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, **Not** Scaly, **Not** Inflammatory, Present on the Scalp.

D\D:

1- Non-Inflammatory Tinea Capitis.
2- Alopecia Areata.
3- Androgenic Alopecia
4- Tractional Alopecia.
5- Trichotiloomania.
6- Hair-Pulling Habit.



Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, **Not** Scaly, **Not** Inflammatory, Present on the Scalp.

D\D:

1- Non-Inflammatory Tinea Capitis.
2- Alopecia Areata.
3- Androgenic Alopecia
4- Tractional Alopecia.
5- Trichotiloomania.
6- Hair-Pulling Habit.



Single, Clean, Oval, Well-Defined, Skin Colored Patch of Hair Loss, with Black Dots, **Not** Scaly, **Not** Inflammatory, Present on the Scalp.

D\D:

1- Non-Inflammatory Tinea Capitis.
2- Alopecia Areata.
3- Androgenic Alopecia
4- Tractional Alopecia.
5- Trichotiloomania.
6- Hair-Pulling Habit.

Inflammatory Tinea Capitis (Kerion)

D\D of Kerion:

1-Bacterial Infection (Carbuncle).
2- Basal Cell Carcinoma.
3- Discoid Lupus.
4- Trauma.
5-Burns.



Single, Oval, Well-Defined, Red Crusted Nodule, Covered with Multiple Yellow Crust, Causing Hair Loss of the Scalp (Scarring Alopecia).

Treatment of Kerion

Systemic Anti-Fungal
(Grisofulvin 20mg\kg\day for 6Weeks Orally).

D\D:

1- Kerion.
2-Bacterial Infection (Carbuncle).
3- Basal Cell Carcinoma.
4- Discoid Lupus.
5- Trauma.
6-Burns.



Single, Oval, Well-Defined, Red Crusted Nodule, Causing Hair Loss of the Scalp (Scarring Alopecia).

D\D:

1- Kerion.
2-Bacterial Infection (Carbuncle).
3- Basal Cell Carcinoma.
4- Discoid Lupus.
5- Trauma.
6-Burns.



Multiple, Different Size & Shape, Well-Defined, Red Ulcerative Nodule, Causing Hair Loss of the Scalp (Scarring Alopecia).

D\D:

1- Kerion.
2-Bacterial Infection (Carbuncle).
3- Basal Cell Carcinoma.
4- Discoid Lupus.
5- Trauma.
6-Burns.



Single, Oval, Well-Defined, Shiny, Red Nodule, Causing Hair Loss of the Scalp (Scarring Alopecia).



Single, Oval, Well-Defined, Red Nodule, Causing Hair Loss of the Scalp (Scarring Alopecia).

D\D:

1- Kerion.
2-Bacterial Infection (Carbuncle).
3- Basal Cell Carcinoma.
4- Discoid Lupus.
5- Trauma.
6-Burns.



Multiple, Different Size & Shape, Well-Defined, Red Crusted Nodule, & Multiple, Yellow **Pustules**, Causing Hair Loss of the Scalp (Scarring Alopecia).

D\D:

1- Kerion.
2-Bacterial Infection (Carbuncle).
3- Basal Cell Carcinoma.
4- Discoid Lupus.
5- Trauma.
6-Burns.

Kerion





Kerion



Kerion


Copyright © 1998 All Rights Reserved
UBC Dermatology http://www.derm.ubc.ca














SFS


Courtesy of
The Geraldine Kaminski Medical Mycology Library
Provided by: Dr. T. Turner, Adelaide, S.A.
Produced by: David Ellis and Roland Hermanis

Inflammatory Tinea Capitis (Favus)



Multiple, Diffuse, Thick, Yellow, **Cup** Shaped, Adherent Crust (Scatula) Scattered on the Scalp Causing Hair Loss (Scarring Alopecia).

D\D of Favus:
1- Seborrhoeic Dermatitis.
2- Scalp Psoriasis.

Treatment of Favus
Systemic Anti-Fungal
(Grisofulvin **20**mg\kg\day for 6Weeks Orally).

Favus





Multiple, Diffuse, Thick, Yellow, Cup Shaped, Adherent Crust (Scatula) Scattered on the Scalp Causing Hair Loss (Scarring Alopecia).

D\D:

1- Favus.
2- Seborrhoeic Dermatitis.
3- Scalp Psoriasis.



[redacted]

Multiple, Diffuse, Thick, Yellow, Cup Shaped, Adherent Crust (Scatula) Scattered on the Scalp Causing Hair Loss (Scarring Alopecia).

D\D:

1- Favus.
2- Seborrhoeic Dermatitis.
3- Scalp Psoriasis.



D\D:

1- Favus.

2- Seborrhoeic Dermatitis.

3- Scalp Psoriasis.

Multiple, Diffuse, Thick, Yellow, Cup Shaped, Adherent Crust (Scatula) Scattered on the Scalp Causing Hair Loss (Scarring Alopecia).

D\D:
1- Favus.
2- Seborrhoeic Dermatitis.
3- Scalp Psoriasis.



Multiple, Diffuse, Thick, Yellow, Cup Shaped, Adherent Crust (Scatula) Scattered on the Scalp Causing Hair Loss (Scarring Alopecia).

Woods Lamp & KOH of Tinea Capitis



Green in Color

Hyphae & Spores



Tinea Pedis

D\D of Tinea Pedis:
1- Candidiasis.
2- Dermatitis.
3- Bacterial Infection (Erythrasma).
4- Trauma.



Inter-Digital, Whitish Maceration & Fissure.

Treatment of Tinea Pedis

1. Topical Anti-Fungal (Imidazole Derivatives).

Tinea Pedis



Tinea Pedis



Tinea Pedis



Tinea Pedis


gettyimag
Jane Shemilt/SPL
140527001











© ELSEVIER, INC. – NETTERIMAGES.COM



Source: Wolff K, Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ: Fitzpatrick's Dermatology in General Medicine, 7th Edition: http://www.accessmedicine.com

Copyright © The McGraw-Hill Companies, Inc. All rights reserved.

Tinea Corporis



Tinea Corporis


© 2000 Galderma SA
037722H

Tinea Corporis



Tinea Corporis



COPYRIGHT PODS.ORG.UK





Dermatology



Image Courtesy of B. Smith
Copyright © 2000 Doctorfungus Corporation



SFS









Tinea Croris


© 2000 Galderma SA
038213H









Tinea Manuum



Tinea Manuum


shutterstock

Tinea Manuum




SFS
SFS

Tinea Unguium



Tinea Unguium



Tinea Unguium



alamy


Dermatofitosis
Tinea Unguium
2
2.1
1
3
3.1






CIENCEphotoLIBRARY









Pityriasis Versicolor

Multiple, Different Size & Shape, Hypo-Pigmented, Macules & Patches, Scattered on the Back of the Neck & the Trunk.



D\D of Pityriasis Versicolor:

1- Vitiligo.
2- Pityriasis Alba.
3- Tuberculoid Leprosy.
4- Post Inflammatory.
5- Post Traumatic.

Treatment of Pityriasis Versicolor

1. Systemic Itrakonazole 100mg.
2. Nizoral Shampoo.

D\D:

1- Pityriasis Versicolor.
2- Pityriasis Alba.
3- Vitiligo.
4- Tuberculoid Leprosy.
5- Post Inflammatory.
6- Post Traumatic.



Multiple, Different Size & Shape, Hypo-Pigmented, Macules & Patches, Scattered on the Back of the Trunk & Upper Shoulder.



Multiple, Different Size & Shape, Hypo-Pigmented, Macules, Scattered on the Back & Upper Shoulder.

D\D:

1- Pityriasis Versicolor.
2- Pityriasis Alba.
3- Vitiligo.
4- Tuberculoid Leprosy.
5- Post Inflammatory.
6- Post Traumatic.



D\D:

1- Pityriasis Versicolor.
2- Pityriasis Alba.
3- Vitiligo.
4- Tuberculoid Leprosy.
5- Post Inflammatory.
6- Post Traumatic.

Multiple, Different Size & Shape, Hypo-Pigmented, Macules & Patches, Scattered on the Back & Upper Shoulder.

D\D:

1- Pityriasis Versicolor.
2- Pityriasis Alba.
3- Vitiligo.
4- Tuberculoid Leprosy.
5- Post Inflammatory.
6- Post Traumatic.


Multiple, Different Size & Shape, Hypo-Pigmented, Macules & Patches, Scattered on the Neck & Upper Chest.



D\D:

1- Pityriasis Versicolor.
2- Post Inflammatory.
3- Post Traumatic.
4- Neurofibromatosis.
5- Freckles.

Multiple, Different Size & Shape, Hyper-Pigmented, Macules & Patches, Scattered on the Chest.

Multiple, Different Size & Shape, Hyper-Pigmented, Macules & Patches, Scattered on the Axila.


28 11:39

D\D:

1- Pityriasis Versicolor.
2- Post Inflammatory.
3- Post Traumatic.
4- Neurofibromatosis.
5- Freckles.

D\D:

1- Pityriasis Versicolor.
2- Post Inflammatory.
3- Post Traumatic.
4- Neurofibromatosis.
5- Freckles.



Multiple, Different Size & Shape, Hyper-Pigmented, Macules & Patches, Scattered on the Back.

Woods Lamp & KOH of Pityriasis Versicolor



Golden Yellow in Color

Spaghetti Meat Form



Oral Thrush (Candidiasis)

White Membrane (Patch) Present on the Tongue.



Treatment of Oral Thrush
Systemic Nystatine.



Oral Thrush



Chronic Paronychia (Candidiasis)

D\D of Paronychia:

1- Bacterial Infection.
2- Trauma.
3- Burns.



Shiny, Erythematous, Swelling in Nail fold of Big Toe.

Treatment of Paronychia

Topical Nystatine.

Chronic Paronychia



ByeByeDoctor.com


Dr. A. A. Saad, MS-2011
©Dermnet.com

Intertrigo (Candidiasis)

Irregular, Erythematous, Patch, with Scattered Satellite Lesion, Present on Axilla.



D\D of Intertrigo:
1- Psoriasis Inverses.
2- Erythrasma.
3- Eczema.

Treatment of Intertrigo
Topical Nystatine.

Intertrigo




DermNetNZ.org



Intertrigo


©Dermnet.com
©Dermnet.com

Parasitic Skin Infestation

Scabies
Burrow , KOH
Cutaneous Leishmaniasis
Amastigoite , Promastigoite
Pediculosis Capitis & Hair Nits
Pediculosis Corporis

Common Cases for Clinic Exam

Leishmaniasis

Cutaneous Leishmaniasis



Single, Well-Defined, Ulcer, on Erythematous Base, Covered with Yellow Crust, Present on the Cheek.

D\D of Cutaneous Leishmaniasis:

1- Ecthyma.
2- Malignant Ulcer.
3- Chancre (Primary Syphilis).
4-Lupus Vulgaris (TB).

Treatment of Cutaneous Leishmaniasis

1. Sodium Stiboglyconate (Pentostame).
(Given Intra-Lesion, also can be given Systemic)
2. Cryotherapy.
3. Rifampicin.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).



Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base, Covered with Yellow Crust, Present on Limb.



Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base, Covered with Yellow Crust, Present on Limb.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).



Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base, Covered with Yellow Crust, Present on Limb.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).

Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base,
Covered with Yellow Crust, Present on Lower Limb.



D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).

D\D:
1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).



Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base, Present on Lower Limb.

Multiple, Different Size & Shape, Well-Defined, Healed, Crusted Ulcers, Present on Extensor Surface of Left Forearm.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Gumma (Tertiary Syphilis).
6- Lupus Vulgaris (TB).



D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Chancre (Primary Syphilis).
6- Lupus Vulgaris (TB).



Single, Well-Defined, Punched-Out Ulcer, on Erythematous Base, Covered with Thick, Dark Crust, Present on Medial Surface of Left Leg.



Multiple, Bilateral, Different Size & Shape, Ulcers,
Covered with Dark Yellow Crust, Present on Both Foot.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Gumma (Tertiary Syphilis).
6- Lupus Vulgaris (TB).

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3-Venous Ulcer.
4- Malignant Ulcer.
5- Gumma (Tertiary Syphilis).
6- Lupus Vulgaris (TB).



Single, Well-Defined, Punched-Out Ulcer, Covered with Dark Crust Present on Left Wrist, Also Another Ulcer On Index Finger.

Multiple, Well-Defined, Punched-Out Crusted Ulcer, Covered with Thick Yellow Crust Present Dorsum of the Wrist, Index & Middle Fingers.



D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Gumma (Tertiary Syphilis).
5- Lupus Vulgaris (TB).

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Gumma (Tertiary Syphilis).
5- Lupus Vulgaris (TB).



Multiple, Different Size & Shape, Crusted Ulcers, on Erythematous Base Covered with Thick, Yellow Crust, Present on Forehead.



Multiple, Different Size & Shape, Crusted Ulcerarative Nodules, on Erythematous Base Covered with Crust, Present on Right Forearm.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Gumma (Tertiary Syphilis).
5- Lupus Vulgaris (TB).

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Gumma (Tertiary Syphilis).
5- Lupus Vulgaris (TB).


08/10/2008
Globalskinatlas.com

Multiple, Different Size & Shape, Crusted Ulcerative Nodules, on Erythematous Base, Covered with Crust, Present on Right Thigh.



Single, Red, Crusted, Ulcerative Nodule, on Erythematous Base, Covered with Crust, Present on Cheek.

D\D:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Chancre (Primary Syphilis).
5- Lupus Vulgaris (TB).


A
B
C

Amastigoite & Promastigoite


Promastigoite


Amastigoite


Promastigote form
Amastigote form

Scabies



Multiple, Different Size & Shape, Burrow Lesions, Papules & Scratch Marks, Present on the Wrist.

Treatment of Scabies

- All Family Member Should Be Treated

1. Sulfur Ointment.
2. Crotamitone 10% (Eurax).
3. Malathion.

Scabies



Burrow Lesion of Scabies

Scabies



Burrow Lesion of Scabies

Burrow + KOH



Burrow Lesion of Scabies

Sarcobtus Scabie Mite & Its Eggs + Feces



Scabies



Scabies



Scabies



Scabies




© 2010 Logical Images

Pediculosis Capitis & Nits


Hair Nits
Pediculosis Capitis

Treatment of Pediculosis Capitis

1. Shaving of Hair.
2. Topical→ Malathion, Benzyl Benzoate.
3. Systemic→ Cotrimoxazole.
4. AB→ For 2ry Bacterial Infection.

Multiple Hair Nits & Head Louse Present on the Hair of the Scalp.


Pediculosis Capitis

Pediculosis Corporis



Multiple Pediculosis Corporis Present on the Cloths, Also There are Multiple Hemorrhagic Spots on Skin Due to Bite of The Body Louse for Meal.

Treatment of Pediculosis Corporis

1. Disinfect of Cloths.
2. Topical→ Malathion, Benzyl Benzoate.
3. Systemic→ Cotrimoxazole.
4. AB→ For 2ry Bacterial Infection.

Mycobacterium Skin Infection & TB of Skin

Tuberculoid Leprosy
Lepromatous Leprosy
Lupus Vulgaris
Scrofula

Tuberculoid Leprosy



Single, Well-Defined, Hairless, Hypo-Pigmented Patch, Surrounded with Raised, Irregular, Erythematous Border.

D\D of Tuberculoid Leprosy:

1- Post Traumatic.
2- Post Inflammatory.
3- Pityriasis Versicolor.
4- Pityriasis Alba.
5- Vitiligo.
6- Hypo-Pigmented Naevi

Treatment of Tuberculoid Leprosy

1. Dapson
2. Clofazamine.
3. Rifampicin (One Injection).

Tuberculoid Leprosy



Tuberculoid Leprosy



Lepromatous Leprosy



Leonine Face



Diffuse Nodular Involvement

Lepromatous Leprosy (Leonine Face)









Lepromatous Leprosy (Diffuse Nodular Involvement)






A
B






A
B



Lepromatous Leprosy (Nasal Septum Destruction)



Lupus Vulgaris

Single, Well-Defined, Red, Nodule (Apple Jelly Color), Present on the Cheek.



D\D of Lupus Vulgaris:

1- Leishmaniasis.

2- Furuncle.

3- Carbuncle.

4- Squamouse Cell Carcinoma.

5- Chancre (Primary Syphilis).

Treatment of Lupus Vulgaris

1- Remove the Scar Because it is **Pre-Malignant**.

2- Give Anti TB Drugs for 9 Months.

Keyword: Apple jelly nodules



Lupus Vulgaris


0 cm. 1
Globalskinatlas.com

Lupus Vulgaris (Apple Jelly Color)





0 cms. 1
Globalskinatlas.com

Scrofula

D\D of Scrofula:

1- Furuncle.
2- Carbuncle.
3- Leishmaniasis.
4- Chancre (Primary Syphilis).



Single, Red, Nodule, with Yellow Crusted Head, Present at the Base of the Neck.

Treatment of Scrofula

1- Remove the Lymph Nodes.
2- Give Anti TB Drugs for 9 Months.

Scrofula



Scrofula



Tuberculosis (Scrofula)





Fig. 1 : Young girl with inflamed, swollen, soft and fluctuant cervical lymph node leading to abscess formation

Scrofula



Warty TB



Warty TB



Sexual Transmitted Diseases (STD)

Syphilis
Secondary Syphilis
Tertiary Syphilis
Dark Field Examination of Syphilis
Condyloma Acuminatum

Chancre of Syphilis



Single, Well-Defined, Red, Ulcer,
Present on Dorsal Surface of the Tongue.



D\D of Chancre:
1- Chancroid.
2- Aphthous Ulcer.
3- Malignancy.
4- Trauma.

Treatment of Chancre
- Single Dose of Penzetine Penicillin
2.4 Mega Unit IM.

Chancre



Chancre



Chancre



Secondary Syphilis

Multiple, Different Size & Shape, Red (Erythematous), Macules & Papules,
Scattered on the Chest & Trunk.



D\D of Secondary Syphilis:

1- Guttate Psoriasis.
2- Pityriasis Rosea.
3- Fungal Infection.
4- Lichen Planus.
5- Drug Eruption.

Treatment of Secondary Syphilis

- Penzetine Penicillin **2.4** Mega Unit IM One Weekly For **3** Weeks.



Snail Tract Patch



Condylomata Lata



Moth Eaten Alopecia

Maculo-Papular Rash


© Jere Mammino, DO



D\D:

1- Secondary Syphilis:
2- Guttate Psoriasis.
3- Pityriasis Rosea.
4- Fungal Infection.
5- Lichen Planus.
6- Drug Eruption.

Maculo-Papular Rash



D\D:

1- Secondary Syphilis:
2- Guttate Psoriasis.
3- Pityriasis Rosea.
4- Fungal Infection.
5- Lichen Planus.
6- Drug Eruption.

Maculo-Papular Rash



Maculo-Papular Rash



- Condylomata Lata


© 2013 Logical Images, Inc.

Condyloma Lata



Moth Eaten Alopecia



Snail Tract Ulcer & Patch



Tertiary Syphilis (Skin Gumma)

D\D of Skin Gumma:

1- Leishmaniasis.
2- Ecthyma.
3- Malignant Ulcer.
4- Venous Ulcer.





Two, Well-Defined Border, Ulcerative Nodules, with Punched Out Edges, Covered with Crust & Necrotic Tissue.

Treatment of Tertiary Syphilis

- Penzetine Penicillin 2.4 Mega Unit IM One Weekly For 3 Weeks.

Tertiary Syphilis (Skin Gumma)


MyShare

Tertiary Syphilis (Skin Gumma)



Wellcome Images



Tertiary Syphilis (Skin Gumma)


Tertiary Syphilis
Gumma
Susan Lindsley/CDC



Dark Field Examination of Syphilis



Dark Field Examination Showing Spiral Shape Organisms With Rotator Movement.

Condyloma Acuminatum



Two, Pedunculated, Red (Erythematous), Papules Present on Mucous Membrane of the Lips.

D\D of Condyloma Acuminatum:

1- Malignancy.
2- Molluscum Contagiosum.
3- Focal Epithelial Hyperplasia.

Treatment of Condyloma Acumiatum

1. Podophyllin.
2. Cryotherapy.

Skin Tumors

Malignant Melanoma
Basal Cell Carcinoma

Malignant Melanoma

D\D of Malignant Melanoma:
1- Traumatized Naevus.
2- Foreign Body.



Single, Raised, Expanding, Darkly Pigmented, Skin Lesion.

Treatment of Malignant Melanoma
- Surgical Excision
with Wide Safe Margin (5cm)

Basal Cell Carcinoma



Single, Small, Oval, Ulcer (**Rodent Ulcer**), with Rolled Edges, & Floor Covered with Crust.

D\D of Basal Cell Carcinoma:

1- Cutaneous Leishmaniasis.
2- Ecthyma.
3- Chancre.
4- Skin Gumma.

Treatment of Basal Cell Carcinoma

- *Surgical Excision*
with Wide Safe Margin (2mm)

Common Cases for Clinic Exam

Impetigo

Common Wart

Tinea Capitis

Pityriasis Versicolor

Leishmaniasis

تحياتي وتمنياتي للجميع بالنجاح

These Slides are Done By:

DR. MOHCEN AL. HAJ

GOOOD LUCK FOR ALL